# **Safety Data Sheet**

## SECTION 1 Identification of the substance/preparation and of the company/undertaking

#### 1.1. Product identifier:

Product Name: GK6 Cyan for use in CN C7065 and 7260

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: Toner for electrophotographic apparatus Descriptor: Industrial uses (SU3), Ink and toners (PC18)

#### 1.3. Details of the supplier of the safety data sheet:

Supplier: Katun Corporation

Address: 10951 Bush Lake Rd, Minneapolis, MN 55438

Telephone number: 952-941-9505

1.4. Emergency telephone number: (Chemtrec) (800) 424-9300

## **SECTION 2** Hazards identification

#### 2.1 Classification of the Substance or mixture:

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

#### Not classified as a hazardous mixture

Health Hazards

Acute Tox. -oral:

Acute Tox. -inhalation:

Not classified

Skin Corr./ Irrit:

Not classified

Eye Dam./ Irrit:

Not classified

Not classified

Not classified

Muta:

Not classified

**Environmental Hazards** 

Aquatic Acute: Not classified Aquatic Chronic: Not classified

All other Classifications not listed are either "Not applicable" or "Not available"

## 2.2 Label elements:

2.2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]

None

#### 2.3 Other hazards:

Risk of dust-explosion if finely dispersed in air with an ignition source.

## **SECTION 3** Composition/information on ingredients

#### 3.2 Mixtures:

Ingredient Name				Classification	
	Weight	CAS No.	REACH	according to	
	%	% Registrati		Regulation(EC) No	
				1278/2008 [CLP]	
Saturated polyester resin	70-80	Confidential	Registered*	None	
Pigment	2-8	1333-86-4	Registered	None	
Silica, treated	1-6	Confidential	Registered	None	
Wax	1-6	Confidential	Pre-Registered	None	
Titanium(IV) dioxide	0.1-2	13463-67-7	Registered	None	
Quaternary ammonium salt**	0.1-1	102561-46-6	Registered	Acute Tox.4, H332	
				Aquatic Acute2, H401	
				Aquatic Chronic2, H411	

<sup>\*</sup>Registered as all applicable monomers

See SECTION 16 for full text of Hazard Statements.

#### **SECTION 4** First aid measures

#### 4.1 Description of first aid measures:

Immediate medical procedures:

None

Inhalation:

Move to fresh air and gargle with water.

Skin contact:

Wash with soap and water.

Eye contact:

Do not rub. Flush with large amount of water until particles are removed.

Seek medical advice

Ingestion:

Rinse mouth, then drink several glasses of water to dilute stomach content.

Seek medical advice.

#### 4.2 Most important symptoms, both acute and delayed:

Inhalation of excessive amounts of dust may cause physical irritation to respiratory system.

## 4.3 Indication of any immediate medical attention and special treatment needed:

None

## SECTION 5 Firefighting measures

## 5.1 Extinguishing media:

Water, CO<sub>2</sub>, dry chemicals

## 5.2 Special hazards arising from substance or mixture:

Can form explosive dust-air mixture if finely dispersed in air.

## 5.3 Advice for firefighters:

Avoid inhalation of fume and smoke.

<sup>\*\*</sup> Tributylbenzylammonium 4-hydroxynaphthalene-1-sulfonate

#### **SECTION 6** Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid breathing dust. Dust-proof masks should be worn when working.

## 6.2 Environmental precautions:

Do not flush into sewer or natural watercourse.

## 6.3 Methods and material for containment and cleaning up:

For containment:

Keep in air-tight container.

For cleaning up:

Sweep the spilled powder slowly.

Clean the remainder with wet cloth, wet paper, or vacuum cleaner.

Vacuum cleaner must be equipped with dust proof filter and must be explosion-proof.

For containment:

Keep in air-tight container.

## **SECTION 7** Handling and storage

#### 7.1 Precautions for safe handling:

Avoid breathing dust. Keep away from ignition sources.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry location away from direct sunlight.

## 7.3 Specific end use(s):

For use in electrophotographic apparatus such as laser-beam printers and copiers.

## SECTION 8 Exposure contols/personal protection

#### 8.1 Control parameters:

As mixture: Dust, respirable

	Limit value –Eight hours		Limit value –Short term	
Country	ppm	mg/m³	ppm	mg/m³
<b>European Union</b>	Not established	Not established	Not established	Not established
Austria	-	5	-	10
Belgium	-	3	-	-
France	-	5 (respirable aerosol)	-	-
Germany (AGS)	-	1.25	-	-
Germany (DFG)	-	1.5	-	-
Hungary	-	6	-	-
Ireland	-	4	-	-
Spain	-	3	-	-
Sweden	-	5	-	-
Switzerland	-	3	-	-
USA (ACGIH)	-	3	-	-
USA (OSHA PEL)	-	5	-	-

Applicable control parameters are not established in other Community Members not listed

## Constituent substances:

This mixture is considered as a "Special Mixture" where substances are modulated by their inclusion within the matrix of the mixture; thus, control parameters for constituent substances do not apply in use of this mixture.

#### 8.2 Exposure controls:

Appropriate engineering controls:

Use of local ventilation is recommended.

Individual protection measures:

Eye/face protection: Protective goggles should be used when handling bulk.

Skin Protection: Not required Hand protection: Not required

Respiratory protection: Dust-proof mask should be used when handling bulk.

## SECTION 9 Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties:

Appearance: Black powder (average particle size: app. 6 microns)

Odour: Slight odour pH: Not applicable

Melting point: App. 100°C (flow temperature)

Boiling point: Not applicable Flash point: Not applicable Evaporation rate: Not applicable Flammability (according to Directive 92/69/EEC):

As mixture: Not flammable; Not classified\*\*

Explosive limits: Not available Vapour pressure: Not applicable Vapour density: Not applicable

Relative density: 1.1-1.3

Solubility:

As mixture Insoluble to water, partially soluble to toluene and xylene.

Substance quaternary ammonium salt: 1.14g/L (20°C) to water, 35% to methanol, 0.1% to acetone

Substance titanium oxide: Insoluble to water and fat, soluble to strong acids.

Partition coefficient:

As mixture Not available Substance Quaternary ammonium salt: Log Pow=-0.597 (19°C)

Auto-ignition temperature: Not available Decomposition temperature: >200°C

Viscosity: Not applicable

Explosive properties: Explosive dust-air mixture is formed when finely dispersed in air

Oxidizing properties: Not available

**9.2 Other information:** None

\*\*according to criteria of Regulation (EC) No 1272/2008 [CLP]

## SECTION 10 Stability and reactivity

10.1 Reactivity:No data10.2 Chemical stability:Stable10.3 Possibility of hazardous reactions:No data

**10.4 Conditions to avoid:**Do not disperse in air with ignition source.

**10.5 Incompatible materials:** No data

**10.6 Hazardous decomposition products:** Decomposition will not occur under intended uses.

## **SECTION 11** Toxicological information

## 11.1 Information on toxicological effects:

Acute toxicity
As mixture:

Inhalation: LC<sub>50</sub>: inh-rat > 5.19mg/L/4 hours (maximum concentration achieved)\*;

-Not classified\*\*

Ingestion: LD<sub>50</sub>: oral-rat > 2500mg/kg body weight\*; -Not classified\*\*

Substance Quaternary ammonium salt:

Oral:  $LD_{50}(Rat > 5000 \text{ mg/kg}, -Not \text{ classified**}$ Dermal:  $LD_{50}(Rat) > 2,000 \text{ mg/kg}, -Not \text{ classified**}$ 

Inhalation:LC50: LC50(Rat) 1.61mg/l, -Acute tox.4

Skin corrosion/irritation: Rabbit-4hr; not irritant\*; -Not classified\*\*

Serious eye damage/irritation:

As mixture Rabbit-3days; not irritant\*; -Not classified\*\*

Substance titanium oxide: Rabbit-3days; mild irritation, but the effect was temporally lasting <24h; -Not classified

Skin sensitization: Guinea pig–maximization; not a sensitizer\*: -Not classified\*\*

Germ cell mutagenicity: Ames test Negative\*; -Not classified\*\*

Carcinogenicity: Not available for mixture

Carbon black, contained in this toner, is classified as "group 2B" (possibly carcinogenic to humans) by IARC. However, long-term inhalation test on rats using a toner preparation containing carbon black did not show any carcinogenic effects. Titanium oxide is also group 2B, but the carcinogenicity of titanium dioxide is limited to lug overload conditions by dust inhalation tests. Since the content in this toner is considered to be modulated by their inclusion within the matrix of the mixture, not to be respirable by itself making the situation impossible to occur under intended use of

this toner.

Thus, enough data to classify carcinogenicity of this toner mixture is concluded to be

"Not available."

Substance carbon black: Substance is listed as "group 2B" by IARC, but not classified by the Community or

US NTP, OSHA, or ACGIH. US NIOSH in 1978 issued a document to recommend exposure limits for carbon black dust with more than 0.1% content of PAH. The carbon black used in this mixture contain far less concentration of PAH and is processed to avoid generation of respirable or inhalable dusts. Thus,

carcinogenicity of this substance is concluded to be "Not classified\*\*."

Substance titanium oxide: Substance is listed as group 2B by IARC, from the results of inhalation tests to rats.

This result is for excessive concentration of respirable dust of the substance causing lung overload of the rats, which results by exposure to other inert fine particles; thus, the effect assumed to have resulted by peculiar characteristics of rats' immune system. Epidemiological studies of titanium dioxide exposure to human do not show relationships to carcinogenic effects. Thus, enough data to classify carcinogenicity

of titanium dioxide is concluded to be "Not available"

Reproductive toxicity: Not available for mixture

No constituent components are classified\*\*

STOT-single exposure: Not available for mixture STOT-repeated exposure: Not available for mixture

In study of rats exposed to a toner containing carbon black, mild degree of lung fibrosis was observed in groups exposed to high concentration(16mg/m³), and mid-concentration(4mg/m³), but no pulmonary change was reported in the group exposed

to low concentration(1mg/m3).

In normal conditions of use (in electro-photographic apparatus,) maximum concentration of toner released is significantly lower than 1mg/m³, and will have no chronic effects to human health.

In cases where this product is used in bulk for purpose such as filling, cleaning, etc of the apparatus, exposure should be controlled with care according to Sections 7 and 8. Thus, enough data to classify STOT-RE of this toner mixture is concluded to

be "Not available."

Substance carbon black: Results of epidemiological studies of carbon black production workers suggest that

> cumulative exposure may result in small decrements in lung function. relationship between other respiratory symptoms and exposure to carbon black is not clear. The carbon black used in this mixture is processed to minimize generation of respirable dusts. Thus, STOT-RE of this substance is concluded to be "Not

classified\*\*."

Aspiration hazards: Not available for mixture

No constituent components are classified\*\*

## **SECTION 12** Ecological information

#### 12.1 Toxicity

Not available for mixture

Substance quaternary ammonium salt:

Fish: LC<sub>50</sub>(96hr)> 100mg/L

Crustaceans(Daphnia magna): EC50(48hr): 10mg/L

Algae(Pseudokirchneriella subcapitata): E<sub>b</sub>L<sub>50</sub>(72h): 39mg/l, (NOEC: 0.20mg/l)

-Aquatic Acute2\*\*

## 12.2 Persistence and degradability

Not available for mixture

Substance Quaternary ammonium salt: Not readily biodegradable. (24% after 28days)

## 12.3 Bioaccumulative potential

Not available for mixture

Substance Quaternary ammonium salt: Log Pow=-0.597; Not suspected to be bioaccumulative.

#### 12.4 Mobility in soil

Not available

#### 12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substance that are assessed to be PBT or vPvB.

#### 12.6 Other adverse effects:

Not available

\*data from toner with similar composition.

\*\*according to criteria of Regulation (EC) No 1272/2008 [CLP]

#### **SECTION 13 Disposal consideration**

#### 13.1 Waste treatment methods

Dispose according to local authority requirements.

Waste should not be released to sewer or natural watercourse.

DO NOT put toner powder or container into fire.

<sup>\*</sup>data from toner with similar composition.

<sup>\*\*</sup>according to criteria of Regulation (EC) No 1272/2008 [CLP]

#### **SECTION 14** Transport information

#### 14.1 UN number

None

#### 14.2 UN proper shipping name

None

#### 14.3 Transport hazard class(es)

ADR / RID / ADN: none IMDG Code: none ICAO-TI / IATA-DGR: none

#### 14.4 Packing group

None

#### 14.5 Environmental hazards:

Not classified as environmentally hazardous under UN Model Regulations.

Not classified as marine pollutant under IMDG Code.

#### 14.6 Special precautions for user:

Handling such as exposure to water, rolling, falling, or giving shock to the container may result in breakage of the inner bag and result in scattering of the mixture.

Avoid direct sunlight and hot places. (See also: Section 7)

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

None

## **SECTION 15** Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulations

Regulation (EC) No 1272/2008 [CLP]

Not classified as hazardous mixture, label not required

Regulation (EC) No 1907/2006 [REACH]

Restricted substances: None SVHC: None\*

Registration: See SECTION 3

\*Up to 12th updated list issued 17-Dec.-2014

#### National regulations (France):

French enforcement Decree no. 2012-232 of 17-February, 2012

Substances "Silica, treated," "Titanium (IV) oxide," and "carbon black" are considered as nanomaterial, but they are considered to be modulated by their inclusion within the matrix of the mixture; thus, they are not considered to be "contained without being linked to the mixture."

## 15.2 Chemical safety assessment:

No chemical safety assessment has been carried out for this mixture by the supplier.

#### SECTION 16 Other information

Issued according to (EC) 453/2010 Annex II amendment of REACH Annex II

## Indication of changes:

10-Jun.-2015: First issued **Abbreviations and acronyms:** 

FAX: Facsimile

CLP: Classification Labelling Packaging regulation

Flam. Sol. Flammable Solid

Tox. Toxicity

Corr. Corrosivity Irrit Irritation Dam. Damage Sens. Sensitization Mutagenicity Muta.

CAS: **Chemical Abstract Service** 

REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals

parts per million (weight/weight) mag: Ausschuss für Gefahrstoffe AGS DFG Deutsche Forschungsgemeinschaf

USA United States of America

American Conference of Governmental Industrial Hygienists ACGIH:

Time weighted Average TWA:

**OSHA** Occupational Safety and Health Administration

PEL Permissible Exposure Limit

approximately app.

LC<sub>50</sub> Lethal Concentration to 50% of test population  $LD_{50}$ Lethal Dose to 50% of test population IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

National Institute of Occupational Safety and Health NIOSH:

PAH: Polycyclic Aromatic Hydrocarbons

STOT-SE: Specific Target Organ Toxicity -Single Exposure STOT RE Specific Target Organ Toxicity -Repeated Exposure WAF Water Accommodated Fraction

Effective Concentration to 50% of test population EC50

NOFC No Observed Effect Concentration

 $E_rL_{50}$ Effective Loading rate that causes growth rate reduction to 50% Effective Loading rate that causes 50% reduction in algal cell biomass  $E_bL_{50}$ 

PBT Persistent, Bioaccumulative, and Toxic vPvB: very Persistent and very Bioaccumulative

UN **United Nations** 

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Regulations concerning the International Carriage of Dangerous Goods by Rail RID:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

International Maritime Dangerous Goods **IMDG** 

IATA-DGR: International Air Transport Association Dangerous Goods Regulations Technical Instructions for the Safe Transport of Dangerous Goods by Air ICAO-TI:

SVHC: Substances of Very High Concern

#### Full text of Hazard Statements:

H332 Harmful if inhaled H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

#### Classification procedures:

Acute Tox. -oral: Data from similar mixture and bridging principle "Dilution" Acute tox. -inhalation: Data from similar mixture and bridging principle "Dilution" Skin Corr/ Irrit: Data from similar mixture and bridging principle "Dilution" Eye Dam/ Irrit: Data from similar mixture and bridging principle "Dilution" Skin Sens: Data from similar mixture and bridging principle "Dilution" Muta: Data from similar mixture and bridging principle "Dilution"

Classification data of constituent substances Aquatic Acute: Classification data of constituent substances Aquatic Chronic:

Although the information contained in this SDS is prepared to be accurate to the best of our knowledge, please be aware that health and hazard assessment may not be enough and complete.

Since SDS may be revised due to regulation changes or product modifications, please confirm if this is the latest version, especially if the revision date is outdated for two years.